The following information applies to these PML small block Chevy<sup>TM</sup> center bolt valve covers:

- Part Number 10534, fin top
- Part Number 11040, CHEVROLET script lettering and fins
- Part Number 11041, CORVETTE® script lettering and fins

PML Part Number 11040 (CHEVROLET script and fins valve covers) are used as the example for this document but the information applies to all of the above part numbers.

**Note: These machining operations are optional and carry an additional charge.** You can order using the options in the shopping cart or call to order. International customers, please email us for ordering information.

To accommodate the needs of a variety of applications, PML makes these valve covers without holes for PCV, breathers or oil fill. Since some applications require PCV, oil fill or breather holes, the valve covers are designed to accommodate holes on the intake side, front or rear. PML has a machine shop on-site and can machine holes to your specifications.

Note that if you have a PCV or breather hole, a separate oil fill hole isn't needed. Oil fill can be done through the PCV or breather hole.

Below is a picture of a cover that has been machined. This is the intake side of the valve cover:





General Motors Trademarks are used under license to PML, Inc.

Whether you have a hole machined or not, your valve covers will come with built in baffles. The picture below shows the interior of these valve covers:



You can also see in the above picture that the cover has had a hole machined.

PML machines holes for a clean appearance and a good fit. To achieve this, PML sets up on each cover and uses four different tools. Holes are back-faced and spot faced.

Many configurations are possible and PML can machine covers customized to your particular requirements.

A common configuration has one hole machined in each cover, near the front on the driver's side and the passenger's side. A push-in breather is used on the driver's side and the PCV is fitted in the hole on the passenger's side. The following shows this possible configuration.



This picture shows a PCV valve plumbed to carburetor on the passenger's side and a baffled breather grommet shown installed on the driver's side.

Both holes are on the intake manifold side towards the front of the engine.






This shows a close up of the passenger's side where the PCV valve is plumbed to a port at the base of the carburetor.



This shows a close up of the driver's side with the pushin breather. This is one way to vent the cover.

Other possibilities include a second PCV valve or an angled fitting in the valve cover with a hose to the air cleaner.






This is also a ZZ4 engine.

PML valve covers are in the as cast finish. PML machined one hole in each valve cover.

On the driver side toward the front PML machined a hole for a breather. The PML supplied push-in breather is installed.

On the passenger side toward the rear, PML machined a hole for the PCV. PML provided the PCV grommet and the customer plugged in the PCV valve.



#### **PCV Grommet and Push-In Breather**

Here are images of the push-in breather (left) and PCV grommet (right):



Features:

- The PCV grommet and the push-in breather both are 1¼ inch outer diameter.
- The breather is baffled on the inside.
- The breather foam piece can be removed for cleaning.
- The PCV grommet inner diameter is <sup>3</sup>/<sub>4</sub>" to fit PCV connectors.
- When installed, these are nearly flush with the side of the valve cover.

#### **Oil Fill**

After removing the PCV valve, grommet or breather, a hole machined can be used for oil fill. A flexible, expanding tube makes accessing the holes on the side of the covers easy. Auto parts stores sell these for a couple dollars. Here are pictures of oil filler tubes by Blitz and Flotool:

